

Prepared for:

Xite Edibles1540 South 21st St
Colorado Springs, CO USA 80904**Dark Chocolate Mini 08.24.26**

Batch ID or Lot Number: 5055	Test: Potency	Reported: 03Mar2025	USDA License: N/A
Matrix: Unit	Test ID: T000299621	Started: 28Feb2025	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 26Feb2025	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.153	0.566	ND	ND	# of Servings = 1, Sample Weight=12g
Cannabichromenic Acid (CBCA)	0.140	0.518	ND	ND	
Cannabidiol (CBD)	0.609	1.808	13.760	1.10	
Cannabidiolic Acid (CBDA)	0.625	1.855	ND	ND	
Cannabidivarin (CBDV)	0.144	0.428	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.261	0.774	ND	ND	
Cannabigerol (CBG)	0.087	0.322	0.790	0.10	
Cannabigerolic Acid (CBGA)	0.363	1.344	ND	ND	
Cannabinol (CBN)	0.113	0.420	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.248	0.917	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.433	1.602	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.393	1.455	16.430	1.40	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.348	1.289	ND	ND	
Tetrahydrocannabivarin (THCV)	0.079	0.293	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.307	1.137	ND	ND	
Total Cannabinoids			30.980	2.60	
Total Potential THC			16.430	1.40	
Total Potential CBD			13.760	1.10	

Final Approval
Judith Marquez
03Mar2025
10:05:00 AM MST

PREPARED BY / DATE


Sam Smith
03Mar2025
10:07:00 AM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/6dfff63a-11fb-46c4-975a-bac276eb1a01>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.

Cert #4329.02
6dfff63a11fb46c4975abac276eb1a01.1